

Lloyds Register Approved Service Supplier

Supplier	Dextinsur S.L.
Address	Polig Ind. Tres Caminos, Avda. de la Mojarra Nº 18, San Fernando-Cadiz, 11100, Spain
Contact Details	Ms. Mariló Domínguez Delgado - E-mail: dextinsur@dextinsur.com
Contact Number	Telephone: +34956 882 000 - Fax: +34956 896 772

The above company having been assessed hereby receives approval in accordance with the requirements of Lloyd's Register Procedures for Approval of Service Suppliers as Supplier from the address(es) listed above for the provision of

Maintenance, thorough Examination, Operational Testing, Overhaul and Repair of Lifeboats and Rescue Boats, Launching Appliances and Release Gear

Condition for approval:

This certificate is valid until validity of certificate of personnel issued for the following equipment in the appendix A.

This Service Supplier has been approved to service the equipment in accordance with IMO Resolution MSC.402(96), as amended.

Service engineers are to be provided with a valid Certificate, issued by this Approved Service Supplier, which defines their level of qualification and the scope of the certification (i.e. makes and types of equipment and specifically state which activities (e.g. annual thorough examination and operational tests; 5-year thorough examination, overhaul; overload operational tests; repairs) are covered by the certification). This Certificate should be made available when requested.

Hydraulic Tests Of Low And High Pressure Cylinders

Lloyds Register Approved Service Supplier

Inspections Of Low Location Lighting Systems Using Photo Luminescent Materials And Evacuation Guidance Systems Used As An Alternative To Low-Location Lighting Systems

--

Inspections And Maintenance Of Self-Contained Breathing Apparatus
--

--

Servicing Of Inflatable Liferafts, Inflatable Lifejackets, Hydrostatic Release Units, Inflatable Rescue Boats, Marine Evacuation Systems

--

Inspections And Maintenance Of Fire-Extinguishing Equipment And Systems
--

--

Service Of Immersion Suits, Thermal Protective Aids, And Chemical Protective Clothing
--

--



Lloyds Register Approved Service Supplier

This approval is conditional upon the Supplier maintaining the documented scheme as audited by any member of the Lloyd's Register Group and hereby approved; and notifying Lloyd's Register in writing of any change to that scheme including any change in personnel, equipment or procedures. This certificate is issued to the Supplier and, subject to the Supplier complying with the necessary conditions, is valid to the date referred to above.





APPENDIX A

Office: **Cádiz**

Date: **26 January 2021**

This Certificate is issued to DEXTINSUR

The service supplier has been approved to service the following equipment in accordance with MSC.402(96).

No	Maker	Type		
1	ARIM MACHINERY AND ENGINEERIN G CO.	<p>Rescue boat and liferaft launching appliance</p> <p>ARPV/RVD-2109 CSN Series ARPV/RVD-1875 QHS Series ARPV/RVD-2260 Jinse Series ARPV/RVD-2260 SH Series ARPV/RVD-2108 SK-H Series MS07 Series LRBD-20 SH Series</p> <p>Liferafts launching appliances</p> <p>ARLD-20P SK-H Series ARPV/LD-2050 SK-H Series</p>		
2	GEPA SERVICE	<table border="0"> <tr> <td> <p>Freefall Lifeboats</p> <p>G-FFF1 & G-FFF1-FP G-FFF2 & G-FFF2-FP G-FFF3 & G-FFF3-FP</p> <p>Partially enclosed Lifeboats</p> <p>G-F6YK G-F4YK G-F3YK & G-F3YK-T</p> <p>Service & Utility boats</p> <p>G-GSB3 G-F5-UB G-GSB4 G-F2-UB G-GSB2 G-F1-UB G-GSB1 G-F6-UB G-F4-UB G-F3-UB</p> </td> <td> <p>Totally enclosed Lifeboats</p> <p>G-F6K & G-F6K-FP G-F4K & G-F4K-FP G-F3K & G-F3K-FP</p> <p>Open Type Lifeboats</p> <p>G-F5 (9 persons) G-F2 (13 persons) G-F1 (20 persons) G-F6 (25 persons) G-F4 (30 persons) G-F3 (40 persons)</p> <p>Rescue boats & hooks release devices</p> <p>G-RB1 G-K1 G-RB1-DE G-K2 G-RB3 G-FRB1-O G-FRB2-O</p> </td> </tr> </table>	<p>Freefall Lifeboats</p> <p>G-FFF1 & G-FFF1-FP G-FFF2 & G-FFF2-FP G-FFF3 & G-FFF3-FP</p> <p>Partially enclosed Lifeboats</p> <p>G-F6YK G-F4YK G-F3YK & G-F3YK-T</p> <p>Service & Utility boats</p> <p>G-GSB3 G-F5-UB G-GSB4 G-F2-UB G-GSB2 G-F1-UB G-GSB1 G-F6-UB G-F4-UB G-F3-UB</p>	<p>Totally enclosed Lifeboats</p> <p>G-F6K & G-F6K-FP G-F4K & G-F4K-FP G-F3K & G-F3K-FP</p> <p>Open Type Lifeboats</p> <p>G-F5 (9 persons) G-F2 (13 persons) G-F1 (20 persons) G-F6 (25 persons) G-F4 (30 persons) G-F3 (40 persons)</p> <p>Rescue boats & hooks release devices</p> <p>G-RB1 G-K1 G-RB1-DE G-K2 G-RB3 G-FRB1-O G-FRB2-O</p>
<p>Freefall Lifeboats</p> <p>G-FFF1 & G-FFF1-FP G-FFF2 & G-FFF2-FP G-FFF3 & G-FFF3-FP</p> <p>Partially enclosed Lifeboats</p> <p>G-F6YK G-F4YK G-F3YK & G-F3YK-T</p> <p>Service & Utility boats</p> <p>G-GSB3 G-F5-UB G-GSB4 G-F2-UB G-GSB2 G-F1-UB G-GSB1 G-F6-UB G-F4-UB G-F3-UB</p>	<p>Totally enclosed Lifeboats</p> <p>G-F6K & G-F6K-FP G-F4K & G-F4K-FP G-F3K & G-F3K-FP</p> <p>Open Type Lifeboats</p> <p>G-F5 (9 persons) G-F2 (13 persons) G-F1 (20 persons) G-F6 (25 persons) G-F4 (30 persons) G-F3 (40 persons)</p> <p>Rescue boats & hooks release devices</p> <p>G-RB1 G-K1 G-RB1-DE G-K2 G-RB3 G-FRB1-O G-FRB2-O</p>			

Lloyd's Register Group Limited, its affiliates and subsidiaries and their respective officers, employees or agents are, individually and collectively, referred to in this clause as 'Lloyd's Register'. Lloyd's Register assumes no responsibility and shall not be liable to any person for any loss, damage or expense caused by reliance on the information or advice in this document or howsoever provided, unless that person has signed a contract with the relevant Lloyd's Register entity for the provision of this information or advice and in that case any responsibility or liability is exclusively on the terms and conditions set out in that contract.

3	HLB NETWORKS CO. LTD.	<p>Lifeboat Gravity type enclosed</p> <p>HD32T/F, HD44T/F, HD60T HDL65-85CT/F(A), HDL85CNT/F HDL71CTR/CFR. HDL75CTR/CFR HLB65T/F, HLB105F</p> <p>Lifeboat freefall type</p> <p>HDFL740T/F, HDF25T/F, HDF32T/F HDFN25T/F, HDFN35T/F</p> <p>Release mechanism Gravity Lifeboat</p> <p>Talon II4.0/6.0T, Talon 9.0T</p> <p>Release mechanism Freefall Lifeboat</p> <p>THP, Talon 4.6T</p> <p>Davit gravity type</p> <p>BDH58S, BDH70S, BDH90S, BDH125S BDTD60P BDHP95S BDTW25S, BDRW100S BDM70S, BDM130S, BDM170S BFOD90S</p> <p>Davit freefall type</p> <p>HDFL740, HDF25/32t BDF25S, BDF35S</p>	<p>Rescue boat</p> <p>HDR420, HDR475, HDR570</p> <p>Fast Rescue boat</p> <p>HDFR600, HDFR680</p> <p>Release mechanism rescue boat & liferaft</p> <p>BHR25S, BHA25S</p> <p>Release mechanism fast rescue boat</p> <p>BHR35F, BHR60F, BHR80F</p> <p>Davit rescue boat</p> <p>BHI-RLD25, BHI-RD42M, BDR6P BDR25S, BDR25U, BDR25F, BDR35S BDA16S, BDA20S, BDA25S, BDFA35S</p> <p>Davit Liferaft</p> <p>BDL25/35S, BHI-LRD15/20M, BLR20S</p> <p>Winch</p> <p>BAW25RG, BLW25M, BMW82L BRW25F/S/U, BWL40S/U/50S/8S/66S BWR40S/U/50S/58S/66S, FHW045</p>
4	JIANGYINSHI BEIHAI LSA CO. LTD.	<p>Boat</p> <p>SERIES OF SC, JYB</p> <p>Hook</p> <p>SERIES OF JYBHK</p> <p>Davit</p> <p>SERIES OF SAC, SA, FA, LB, LA, BHGH, PD, FRH, EHRD, SRH, BHGP, RB, HB, HDC, ESAD</p>	
5	JIANGYIN WOLONG F.R.P. BOAT Co., LTD	<p>Lifeboat & Rescue</p> <p>Totally enclosed lifeboat</p> <p>JY50C/F, JY50CA/FA, JY57C/F, JY60C/E/F, JY65C/F, JY70C/F, JY80C/F, JY80CA/FA JY85C/F, JY85CA/FA, JY85CB/ FB, JY93C/F, JY102/F, JY117C/ F</p>	

Free Fall Lifeboat

JY49CF/FF, JY59CF/FF, JY67CF/FF, JY85CF/FF, JY109CF/FF

Rescue boat

JY40KR, JY42KR, JY45DR, JY45KR, JY50R, JY54KR, JY60KR, JY65KR, JY75KR, JY85KR

Partially enclosed lifeboat

JY70P, JY80P, JY85P

Open Type lifeboat

JY45KR, JY55K, JY65K, JY70K, JY75K, JY80K, JY85K

Davit & winch

Gravity Luffing Arm Type Davit

JY LE65, JY LE85, JY-LE100, JY-LE150

Launching Appliance of Free-fall Lifeboat

JY-FH55, JY-FH70, JY-FH90, JY-FH 155

Platform Davit

JY-PL70, JY-PL110, JY-PL150, JY-PL185, JY-PL215

Single Arm Boat/ Raft Davit

JY-SAF21, JY-SAF23, JY SA23S, JY-SA37S, JY-SR33S, JY-SAF33, JY-HSR23I16, JY-HSR33 /23, JY FCR2066, JY-FCR2305

Rescue Boat davit

JY PLR21, JY-LFR27, JY LRHE30, JY-LRHE70, JY-LFR35, JY-SAP14, JY-SAP30

gravity overhead rolling type davit

JY-HE70, JY HE95, JY HE120, JY-HE155

Telescopic Boom Type Davit

JY-TBD120, JY-TBD215, JYTBD35

Hydraulic Luffing Arm Type Davit

JY-GYE70, JY-GYE120, JY-GYE185

Connecting Rod Type Davit

JY-GL70, JY-GL95, JY-GL120, JY-GL 185

		<p>Winch</p> <p>JY SAP14,JY-023Z,JY-D23/ 16Z.JY-SAFC23,JY D33/23Z .JY-SAF33,JY-LRHE30,JY-PLR21,JY-LFR27 ,JY-LRHE70, JY-D50S/Z,JY-D70S/Z.JYD85S/Z ,JY-011 OS/ Z, JY-DW125S ,JY-DP11 OS/Z ,JY-DP150/Z,JY-DP185,JY-DP215</p> <p>Release Mechanism of Lifeboat/ Rescue Boat</p> <p>HK40.HK40A,HK50B,HK50A,FHK70,HK70,HK115,LB60MR,LB80MR,LB120MR.FHK80,FH K90, LB35MRS.LB70MRS</p>
6	ORIENTAL PRECISION & ENGINEERIN G	<p>Hinged Gravity Type Davit & Winch</p> <p>Davit HGD SERIES, HGK SERIES, SHS SERIES, RTD SERIES, DHA SERIES, DMA SERIES</p> <p>Winch BWE SERIES, SWE SERIES, WL SERIES</p> <p>Freefall Davit & Winch</p> <p>FD SERIES, WL SERIES</p> <p>Rescue / Liferaft Davit & Winch</p> <p>RD SERIES, RDW SERIES</p>
7	QINGDAO BEIHAI	<p>Lifeboat</p> <p>Total enclosed BH-S,5A,5S,SSA,ESOO,ES8S,6,6A,6S,E670, 7 A, 7B,8. Freefall BH-F6.0,F7 .OA,F7 .8,F8.1,FS.8,F6.8,F660,F670,F7SO,F900 Rescue BH-R4,R4S,R4SA,RSS,HR6,HR7</p> <p>Davit</p> <p>Gravity Pivot BD-PVSO,PV60,PV60S,PV85,PV125,AR125,AR160S Freefall launching BD-FF55,SSA,55R,FF80,80A,80R,80B,FF66,FF67,FF85 Single arm BD-SAI 4,14A,14B,SA21,21A,SA23,SA30,30A,SA33,SH23</p> <p>Winch BW-H(UR)31,50,63,75;L(UR)75,125;SC14;21</p> <p>Release mechanism</p> <p>Gravity Lifeboat BG-3,3L, BG-7;BH-HOOK3,HOOK5,FS5,FS7 Freefall Lifeboat BG-3.SF,4F,4.SF,4.SFL,SF,6F Rescue Boat BG-25, 15KNXS, 25KNXS, 35KNXS</p>
8	SANGSANGIN INDUSTRY CO, LTD.	<p>Hinged Gravity Type</p> <p>DHG-57-FM, HGW-40-FM, DHG-70-FM, HGW-52-FM, HGW-50-FM. DHG-73-FM, HGW-61-DM</p> <p>Single Arm Type</p> <p>DLRD, DRLD, DSAD, PV combined, DCHH, DPR. DNR. DRBD, DSAC</p> <p>Freefall Type Davit</p>

		FF, HDF
9	WUXI HAI HONG BOAT MAKING CO., LTD.	<p>Totally enclosed life I rescue boat series</p> <p>HHSOC / HHSOT HH53C / HH53T HH57C / HH57T HH65C / HH65T HH65CS / HH65TS HH70C / HH70T HH75CS / HH75TS HH75C HH80CS / HH80TS HH85C / HH85TS</p> <p>Freefall Lifeboat Series</p> <p>HH59FC / HH59FF HH76FC / HH76FF</p> <p>Rescue Boat Series</p> <p>GJ4.5B / GJ4.5B 1</p> <p>High Speed Rescue Boat</p> <p>GJ618A/ GJ618B</p>
10	CSSC LUZHOU ZHENJIAN MARINE AUXILIARY MACHINERY CO., LTD	<p>Gravity davit</p> <p>LE55/LE65/LE85/LE100/LE138/LE170/HE65/HE85/HEI 00</p> <p>Launching appliance davit</p> <p>FHSS/FH70/FH75/FH85/FHI 00</p> <p>Single arm davit and crane</p> <p>SAF14/SAFC21/SAFC25/SA32/HDCL2-6.5/HDCL3-6/ HDCL3-10</p> <p>Off-Shore davit</p> <p>PL65/PL85/PL100/PL1 10/PL138</p> <p>Fastrescue boat davit</p> <p>LFR30/LFR35/LFRH30</p>

This Appendix shall be attached to the Service Supplier Approval Certificate LR2014157AS and no signature required as it is issued electronically.

Juan Manuel González Grimaldi
Surveyor to Lloyd's Register EMEA

a member of the Lloyd's Register group.